







SEVILLE ONE LIGHT PENDANT

6120201

General Product Information



WARRANTY



FCC STATEMENT

Tools Required



Safety Information

CAUTION-RISK OF FIRE

This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.


USE MINIMUM 90°C SUPPLY CONDUCTORS.



Turn off electrical current at the source before working with any lighting fixture or portable lamp.

Install and use this product in adherence with local electrical codes and regulations.





INSTRUCTIONS

I. Preparing the Fixture

1. Determine the desired height or look of the fixture with the provided swivel, stems, and/or chain and screw them together to assemble them. All parts may be used alone or in combination.
2. Feed the fixture wires through the stems/chain and screw the stem assembly to the socket assembly.
3. Unscrew the collar nut off the screw collar and place it onto the stem/chain followed by the canopy.
4. Feed the fixture wires through the swivel and screw the mounting plate assembly onto the stem/chain assembly.
5. Align the mounting plate to the electrical box and secure the fixture tightly with two mounting screws.

II. Wiring the Fixture

1. Safety first! Locate the circuit breaker and switch it off to cut off the power supply to the relevant circuits to ensure there's no electricity running through the wiring.
2. In accordance with local electrical codes, connect the fixture ground wire (bare copper or silver wire) to suitable ground. This may be a green ground screw on the mounting plate, which the ground wire should be tightly wrapped around, or a house wire (green or bare copper wire without insulation).
3. Twist the bare ends of the following pairs of wires together using a wire nut to secure a connection:
 - a) White fixture wire to neutral power line wire
 - b) Black fixture wire to hot power line wire

4. Neatly place all the wires into the electrical box, place the canopy onto the ceiling, and screw the collar nut tightly onto the screw collar to secure it in place.

III. Installing the Fixture

1. Place the shade onto the socket and screw the shade collar nut onto the socket to secure the shade.
2. Screw the lamp into the socket to complete installation.